











## Cross Spacer Data Sheet

Make	Model	Year	Curb Weight	Chasis	Wheel Base	Ground Clearance	Jacking Points		X-spacer
							Width F/R	Lenght	
Acura	NSX	1990-05	2,950	Unibody	100	5.0	55/57	58	xm64
	Integra	1985-89	2,600	Unibody	99	6.0	56	60	xm64
		1989-01	3,100	Unibody	103	6.0	56	60	xm64
		2002-06	3,870	Unibody	93	7.0	55	60	xm64
	TL	1996-09	3,750	Unibody	110	6.5			xm64
Alfa Romeo	Berlina	1967-77	2,600	Unibody	93	7.0	50	58	xm64
	GTV-6	1972-87	2,700	Unibody	95	5.0	50	55	xm64
AmphiCar		1961-68	2,300	Frame	84	10.0	35	42	xmC34
Audi	S4 Quattro	2004-08			110				xm64
	S4	1991-05	4,000	Unibody	105		56/56	64	xm64
Austin Healey	Sprite/Bugeye	1958-71	2,100	Unibody	80	7.0	48	54	xm40
	3000	1959-67	2550	Frame	92		17 inside 38 mid Xmem	55 39	xmC34 xm52 (xm40)
BMW	525	1989-96	3,659	Unibody	108	6.0	60		xm64
	Isetta	1953	little	Frame	short	7.0	small	short	xmC34
	323i	1995/98	~3,000	Unibody	101	7.0	61	53	xm64
	325is	1982-94	3,300	Unibody	107	7.0	58	53	xm64
	330Ci - e90	2002	3,135	Unibody	109	6.5	59	49/52	xm64
	M3 - e30	1986-92	2,600	Unibody	101	6.5	52	44	xm64
	M3 - e36	1992-99	3,216	Unibody	106	6.0	60	57	xm64
	M3 - e46	2000-06	3,415	Unibody	108	4.5/5.5	57.5/61	57.5/51	xm64
	M3 - e90	2008+	3,700/4,145	Unibody	108	6.0	60	57	xm64
	M5 - e28	1985-88	3,417	Unibody	103.3	6.5	57	49	xm64
	M5 - e34	1989-95	3,645	Unibody	108	5.5	57	49	xm64
	M5 - e39	1998-03	4,026	Unibody	111	6.0	59	63	xm64
	M5 - e60	2006-	4,012/4,310	Unibody	113	5.5			
	Z3	1996-03	3,186	Unibody	96.5	6.0	58	58	xm64
	Z4	2002+	3,131	Unibody	98	6.0	58	58	xm64
	540 - e39	1995-03	3,803	Unibody	112	6.0	61	61	xm64
	528e - e28	1982-88	3,500	Unibody	103	6.0	60	60	xm64
	3 Series	2007	3235+	Unibody	109		60/61	49/53	xm64
	6 series	2004/2007	4,178	Unibody	110		60	52	xm64
	740i(L)	1994-01	3800-4800	Unibody	121		62	61(71L)	xm64(xm76?)
	850i - e31		4,000	Unibody					xm64
X3	2003-	4,023	Unibody	110	8.0			xm64 ?	
X5	2006-	4,982	Unibody	115	8.3-11	61	60	xm64	
Buick	Skylark	1964-72	2,600	Unibody	115		52	56	xm52
	Reatta	1988-91	3,593	Unibody	99	5/7	53	56	xm64/52




## Cross Spacer Data Sheet

Make	Model	Year	Curb Weight	Chasis	Wheel Base	Ground Clearance	Jacking Points		X-spacer	
							Width F/R	Lenght		
Chevy	El Camino	1955-57	2,500	Frame		7.0	34inside	60	xm52	
		1964	2,600	Frame	109	8.0	53/54	56+	xm64/xm52	
	Camaro	1967-71			Uni/Frame		6.5	30/38 frame	52	xm <b>C46</b> /xm64
		1970/81			Uni/Frame	108	6.5	30/38 frame	52	xm <b>C46</b> /xm64
		1983/92			Uni/Frame		6.5	30/38 frame	52	xm <b>C46</b> /xm64
		1993/02								
		2009 -								
	Nova	1966	3,100		MidFrame	111	6.0	32	60	xm40
		1972	3,100		Unibody	111		54	60	xm64
	Chevelle	1964-67	3,600		Unibody	112	6.0	56/60	60	xm64
		1968-72	2,545		Frame	116	7.0	52/48	54	xm64/xm52
Monte Carlo	1981-88	3,239		Unibody	108	7.0	52	63	xm52/xm <b>C59</b>	
Astro Van	1985-05	4,310		Frame ?	111	9.0	46/52	43	xm <b>C59</b>	
Silverado-1500-3500	1998-	4,442/5,306		Frame	120-143	11.0	41/46	60	xm52	
Corvaair	Early	1960-64	2,500	Unibody	106	6.5	30/37	53	xm64	
	Late Model	1965-9	2,800	Unibody	106	6.5	53	53	xm64	
	Greenbrier	1961-5	3,005	Unibody	95	8.0	53/37	53	<b>xm64</b> /xm52	
	Rampside	1961-4	2,600	Unibody	95	8.0	53/37	53	<b>xm64</b> /xm52	
Corvettes	C1	1953-62	3,100	Frame	98	6.0	36/37	43	xm52	
	C2	1963-67	3,400	Uni/Frame	98	6.0	57	50	xm64	
	C3coupe	1968-82	3,520	Full frame	98	6.5	51	50	xm64	
	C4/ZR-1	1984-96	3,240	Uni/Frame	96	6.0	58	50	xm64	
	C5/Z06	1997-04	<3,900	Uni/Frame	105	5.5	58	38	xm64	
	C6/Z6/ZR1	2005+	3,578	Uni/Frame	108	5.0	58	38	xm64	
Cadillac	De Ville	1955-76	4,600	Frame	130	7.5	36	NA	xm48	
	Eldorado	1979-85	3,870	Unibody	114	7.5	51	60+	xm64	
	Allante	1987-93	3,720	Unibody	100	6.0	60	60	xm64	
Chrysler	Prowler	1997-02	2,838	Frame	113	5.0				
Chrysler	Dodge ram-Cl	1998	4,751	Frame		8.5	36"	56	xm48	
Pick-Ups	Dakota	2002	4,500	Frame		12.0	36 cent	60	xm <b>C48</b>	
Dodge	Polara/Polaris	1962-66	3,430	Unibody		7.0	58	60	xm64	
Ferrari	308 GTS	1979	2,780	Unibody	94	5.0	47/50	54	xm52	
Fiat	Abarth	1960	little	Unibody	79	7.0	47/47	48	xm52	
	1500 Cabrio	1961-67	2,400	Unibody	99	7.0	50/50	63	xm64	
	124 Spider	1966-85	2,400	Unibody	90	7.0	47/47	51	xm52	
Ford	Model A	1929	1,600	Frame		10.0	31 inside	60	xm <b>C46</b>	
	Mustang	1964.5-69	2,900	Frame/Uni	108		26/57	60	<b>xm64</b> /xm40	
		1987-93	3,350	Unbody	101	6.0	56	58	xm64	
		mid 1980	2,900	Unibdy/Fr	101	6.0	56	60	xm64	
		1994-04	3,400	Unibody	101	6.0	53	60	xm64	
		2005-Pres	3,540	Unibody		6.0	56	60	xm64	
	T-Bird	1954-58	2,600	Frame	102	6.0	31/36	60	xm <b>C46</b> -3244	
	Escape	2001-	3,200	Frame	103	9.5+	36/52	60	xm64	
	Fairlane	1960-07		Unibody	117					
Windstar	1995-03	3,800		120						
Explorer	1991-05	3,936/4,336	Frame	111	9.5	35inside	60	xm <b>C50</b>		
Formila1	Mazda		1,200	Frame	94	45/62mm	17/26		xm28/xm64	
COBRA/GT-40	MKIII	SPF	2,300	Frame	95	5.5	36"fr-22"re	60	xm52/xm40	




## Cross Spacer Data Sheet

Make	Model	Year	Curb Weight	Chasis	Wheel Base	Ground Clearance	Jacking Points		X-spacer
							Width F/R	Lenght	
Honda	CRX	1984-91	2,000	Unibody	90	6.0	54	56	xm64
	Accord	1998-02	3,000	Unibody	106	6.0	60	62	xm64
	Civic	2002-05	3,100	Unibody	101	5.5	60	61	xm64
	Civic Hybrit	2003-10	3,200	Unibody	103	6.0	60	66	xm64
	Civic	1983-87	2,400	Unibody	94	6.0	48	48	xm64
	CRV/Element	2004		Unibody		10/6	55	60	xm64
	Fit	2006+	2,400	Unibody		6.0	55.5	58	xm64
	Prelude	1992-96	2,900	Unibody	101	5.5	52	60	xm64
	S2000	1999-09	2,900	Unibody	95	6.0	56	54	xm64
	Pilot	2000+	4,520	Unibody		8.0/11.0	61	64	xm64
	Ridgeline	2000+	4,590	Unibody		8.0/11.0	61	64	xm64
Odyssey		4,429	Unibody		8.0	68	64	xm76	
Hunday	Elantra	2007	2,800	Unibody	104	7.0	56	58	xm64
	Sonata	2006	3,800	Unibody	106	6.5	62	60	xm64
Infinity	G20	1990	2,980	Unibody	102	6.5			xm64
	G35/G37	2003-pres	3,636	Unibody	102	6.5			xm64
	QX4	1997-03	4,200	Unibody	106				?
Jaguar	XKE	1962-71	2,500	Unibody	96/106	5/6.5	52	62	xm52
	XJ(C)6(12)	1972/78	4,100	Unibody	108	5/6.5	54	68	xm64
Jeep	J8 (4dr)	2007-	4,410	Frame		16.0	41 inside	55	xm53
	Wrangler/CJ	1987-	2,900	Frame		10/16	33/36	54	xm40
	Cherokee	1996	2,955	Frm/Unbdy	101	8.5	31/33	54	xmc-46
Land Rover	109 Wagon			Frame		10+	25"inside	60	xm40
Lotus	Seven	1957-72	1,700	Frame	86	5.5/6.0			xmC46-3244
	Elan	1963-71	1,400	"Y" Frame	84		24"fr - 8"re	60	xm64
	Elise	2005	1,980	Integrated Frame	91	5.5	"A"-47 "B"-35 "C"-27? "D"-21?	"B-A"= 42 "B-C"= 62 "B-D"=NA	34/48 or xmC46-3244
	Exige	2007	2,077	see above	91	5.5	see above	see above	xmC46-3244
Lamborghini	Gallardo	2003+	3241	Frame	101	4.9	74outsid body		xm76??
Lexus	EX300	2000	3,200	Unibody	105	10.5	57	54	xm64
	LS 430	2,006	3,922	Unibody	115				xm64
Mazda	RX-7		3,210	Unibody	96	6.0	55.5	45	xm64
	RX-8	2003+	3,075	Unibody	107	6.0	56	53	xm64
	3	2003+	2,995	Unibody	103	7.0	55	53	xm64
	6								xm64
	Miata M5	1989-97	2,100	Unibody	90	6.0	53 (28)	47	xm64/xm40
	1998-05	2,350	Unibody	90	6.0	55 (28)	47	xm64/xm40	
	2006- Pres	2,410	Unibody	92	6.0	55 (28)	47	xm64/xm40	
Mercedes	180/190	1956-62	1,800	Unibody		7.0	56	60	xm64
	300SEL /w126	1979-92	3,638	Unibody		7.0	56	60(72L)	xm64/xm74(L)
	300E /w124	2000+	3,827	Unibody	110	7.0	56	59	xm64
	SL65 AMG	2006+	4,500	Unibody	113	7.0	60	47	xm64



## Cross Spacer Data Sheet

Make	Model	Year	Curb Weight	Chasis	Wheel Base	Ground Clearance	Jacking Points		X-spacer
							Width F/R	Lenght	
Mini Cooper	Original	1959-98	1,200	Unibody	82		43	54	xm52
	All	2005	3,100	Unibody	97		54	53	xm64
Mitsubishi	Lancer/Evolution	2007+	3,527	Unibody	104	5.5	45/50	55	xm52
MG	Td	1936	2,100	Frame	94		22/26	60	xm40
	A	1962	1,966	Frame	94	6.0	45	55	xm52
	B & GTs	1973	2,100	Unibody	91	6.0	27/40 or 51	60	40 optionally xm52/
	Midget	1961-74	2,100	Unibody	80	7.0	48	54	xm40
	MGF-I/II	1996-05	2,400	Unibody	93.5	6.5	51	55	xm64
Nissan	Pathfinder QX4		3,200	Frame		10.0	44/47	54	xm52
	Maxima	2008+	3,900	Unibody		6.5	58	61	xm64
	z370	2008	3,600	Unibody		5.5	57	45	xm64
Oldsmobile	Cutlass	1956	2,500	X-frame	126		48 Frame	60	xm52/xm64
		1967	2,600	Unibody	115		52	58	xm64
Opel	GT - 1900	1968-73	2,100	Unibody	95	5.5	48	53	xm52
Pontiac	GT	1966	3,100	Frame	103		68	60	xm76?
Porsche	Boxster (986/7	1998/08	3,075	Unibody	95		(56)53	53	xm64
	993S	1998	3,064	Unibody	90		52/(40)49	49	xm64
	911 / 912	1964-74	2,400	Unibody	87				xm52
	911 / 930	1975-88	2,500	Unibody	87		54/58	52	xm52
	914	1969-76	2,200	Unibody	96		51	49	48 or 62
	356	1960-66	2,100	Unibody	83		50"fr x 41"re	48-50	xm40/xm52
	944	1984	2,800	Unibody	95		56	56	xm64
	GT3-996/7	1999/2007			93	5.5/5.5	54/55	55	xm64
	996	1998	2,920	Unibody	93	5.5/6.0	54/55	55	xm64
	964	1989-93	3,031	Unibody	90	4.7	52/(40)47	53	xm64
	Cayman-997c	2006-	2,954	Unibody	95		53	54	xm64
	Cayenne	2002-		Unibody	112				
Saab	9-5 Wagon	2000+	3,799	Unibody	107	6.0	58	56	xm64
	9-5 sedan	2006	3,620	Unibody	107	6.0	58	52	xm64
Subaru	STI	2004	3,195	Unibody	99	6.0	56	58	xm64
	Impreza WRX	2008	3,395	Unibody	103	6.0	56	55	xm64
	Forester	1997-02	3,145	Unibody	99.5	11.5	?	?	xm64
	Legacy	2005-9	3,590	Unibody	103	11.0			xm64
Triumph	TR4/250/6	1976	2,100	Frame	88		34	58	xm40
	TR2 and TR3		2,000	Frame	88		34	58	xm40/xmC34
	TR7/8		2,400	Unibody	85		48	60	xm52
	Spitfire/GT6	1962/73	1,900	Frame	83		34"fr x 8"re	52	xm52
	Stag		2,800	Unibody	100		54	60	xm64



## Cross Spacer Data Sheet

Make	Model	Year	Curb Weight	Chasis	Wheel Base	Ground Clearance	Jacking Points		X-spacer
							Width F/R	Lenght	
Toyota	MR2 - MKI	1984-89	2,189	Unibody	91.5	6.0			xm64
	MR2 - MKII	1990-99	2,789	Unibody	94.5	5.5	56	42	xm64
	Previa	1991	3,400	Unibody	114		48	65	xm76
	Sienna	2006	4,400	Unibody	119				xm76
	Corolla	2008	3,600	Unibody	102	6.5	58	58	xm64
	Supra	1988	3,486	Unibody	102		53	54	xm64
	FJ Cruiser	2006+	4,000	Frame		10.0	39inside	60	xm53
	Yaris	2008-	3,329	Unibody	102	7.0	56	55	xm64
	Solara	2007	3,450	Unibody	107				xm64
Volvo	240	1984	3,680	Unibody	104		58	60	xm64
VW	Carman Ghia		2,100	Unibody			60	60	xm64/xm52
							41rear	60	xm52
	Passat	2005	3,265	Unibody	106		57	61	xm64
	Jetta	2000	3,300	Unibody	97		54	60	xm64
Vans	Astro	1985-05	4,310	Frame ?	111	9.0	46/52	43	xmC59
Viper	Gen3	2008	3,200	Unibody	98	4.5	58	54/49	xm64
Ultima	GTR		2,178	Frame	101	4.5	45	31	xm52/xm64

**Note:** If you can not find your vehicle please contact us or provide us with the vehicle's information. We can then select the correct configuration and update our records

X-Spacer	working range	
		metric
xm28-1426	from 14" to 26"	356 to 660mm
xm40-2638	from 26" to 38"	660 to 965mm
xm52-3850	from 38" to 50"	965 to 1.270mm
xm64-5062	from 50" to 62"	1.270 to 1.575mm
xm76-6274	from 62" to 74"	1.575 to 1.880mm
xmCustom	specify dimensions	